

## AT600 TOW



# Features & Benefits

## AT TOW AT600 TOW



AT600 TOW

### AT TOW

AT600 TOW is designed for towing loads weighing up to 13,200 lbs

#### Battery



- Interchangeable
- Maintenance-free
- Battery monitoring system

#### Strong



- FEA tested steel chassis
- Impact resistant headset
- Zinc coated steel couplings

#### Powerful



- Electric steering (optional)
- Up to 13,200 lbs load capacity

#### Safety



- Anti-crush button
- Automatic tiller cut off
- Emergency stop button

#### Traction



- Internal weight packs
- Optimized size, puncture-proof wheels
- Controlled start acceleration

# Technical data

## AT TOW AT600 TOW

### Identification

Recommended load weight- Castors	13000 lb
Machine weight including battery	1314 lb
Drive type	Electric AC
Drive motor power	2.0 kW
Drive wheel type	Solid Natural Rubber
Parking brake	Eletromagnetic
Braking	Regenerative
Castor wheel type	Polyurethane
Variable machine speed	0.1 - 6 km/h
Metal work finish	Powder coat paint & zinc plated
Operating temperature range	-10 to 40°C
Operating environment	Inside, Outside
Stainless steel	No

### Battery options

Battery pack - sealed - 119Ah 24V - interchangeable
Battery pack - lithium - 60Ah 24V - fixed
Carrier, connectors and cables - no battery

### Charging option

Charger - external - 15A 24V - 85V-265V
Charger - internal - 15A 24V - 110V-240V
Charger - external - 20A 24V - 85V-265V
Charger - internal - 20A 24V - 110V-240V

### Optional extras

Option - flashing safety light and motion bleeper
Option - machine crawl coupling assist
Option - steer mode switch
Option - fifth wheel
Option - two speed selector switch
Option - battery protection system

### Male coupling

Coupling - male - pin
Coupling - male - height adjustable tow ball - 50mm
Coupling - male - adjustable towing arm
Coupling - male - height adjustable box

# Coupling options

## AT TOW AT600 TOW

Z83-00600

Coupling - male - pin



Z83-00601

Coupling - male - height adjustable tow ball - 50mm




Z83-00602

Coupling - male - adjustable towing arm



Z83-00603

Coupling - male - height adjustable box



Z83-00700

Coupling - female - box



# *Find out* **more**

Contact us today to find out which electric tug from MasterMover can help to improve efficiency and safety in your workplace.

For service and support please contact:

**Mastermover Ltd**  
Airfield Industrial Estate, Moor Farm Road  
Ashbourne, DE6 1HD, England

T 01335 301 030  
E [sales@mastermover.com](mailto:sales@mastermover.com)  
W [www.mastermover.com](http://www.mastermover.com)